

BIOS Update Instruction for the Vig870G Motherboard PMPGG870- Vig870G

- Before initiating a BIOS update, be sure to read and precisely follow the instructions included in this document.
- If a BIOS update process is interrupted or the incorrect BIOS is flashed, your system may not function properly and can possibly damage the motherboard.
- Before updating the BIOS on the Viglen Desktop Board, manually record all BIOS settings that have been changed (from default) so they can be restored after completing the BIOS update

There are up to three methods of updating BIOS to the latest Viglen approved version. The number of options made available for any particular board may vary depending on BIOS Support, drive support and BIOS update file size. You only need to use one.

- DOS BIOS Updater
- UEFI:Built-In EFI_Flash
- Windows\WinPE BIOS Update

BIOS Update Instructions under DOS:


1. Save BIOS update zipped file to a temporary directory.
2. Extract the necessary files.
3. Copy the contents of the file to a bootable DOS USB formatted using FAT32/16 on a single partition.
4. Boot the target PC with the device connected or inserted.
5. Select <F12> during POST to display the Boot Menu and select your bootable DOS device.
6. At the DOS prompt Type 'DOS_Flash.bat' to launch the BIOS updates process.
7. Reboot the system once complete.
8. Enter the BIOS Setup and Ensure to load the BIOS default settings to ensure system compatibility and stability. Select the "Restore Defaults" option under the Exit menu.

IMPORTANT!!!!!!


During the update process DO NOT shut down the PC or interrupt the process, this could cause damage to the motherboard.

BIOS Update Instructions for EFI-Shell:

1. Save BIOS update zipped file to a temporary directory.
2. Extract the necessary files.
3. Copy the contents of the file to a bootable DOS USB formatted using FAT32/16 on a single partition.
4. Boot the target PC with the device connected or inserted.
5. Select <F12> during POST to display the Boot Menu
6. Select UEFI: Built-in EFI shell



7. Navigate to the removable USB device i.e. FS3:\ and press enter.




8. Type flash.nsh to start the BIOS update process.

Windows\WinPE BIOS Update

1. Save the BIOS update file to a temporary directory.
2. Extract necessary files.
3. Open Command Prompt
 - a. Type 'CMD' under Search.
 - b. Run Command Prompt as Administrator
4. In command prompt navigate to the extracted BIOS folder. (i.e. **_Win_D08**)
5. At the prompt, depending on a 32bit or 64bit operating system, type **Win32_flash.bat** for 32bit or **Win64_flash.bat** for 64bit to launch the BIOS update process.

During BIOS update process, when prompted, press any key to continue the process.



6. BIOS update process will continue.

CAUTION!!! DO NOT POWER DOWN YOUR SYSTEM before the update is completed.

7. Once BIOS update is completed, the system will auto restart.
8. During system re-boot, load BIOS setup menu by pressing the < Del > key.
9. Load Default BIOS settings by browsing to the save and exit menu and select restore defaults
10. Press to save changes and reset.

Latest BIOS files and Utility are available from Viglen FTP site:

<http://download.viglen.co.uk/files/Motherboards/Vig870G/>

Additional information:

For BIOS, Drivers and Documentation enquiries please contact Viglen Technical Support Department at technical-support@xma.co.uk.

Remember to include your PC serial number in all correspondence.